

PRINTER RIBBONS



Printer Ribbons

	<p>ACCEL AMT 500/515</p> <p>Specifications: 20mm x 14m, Black Ribbon Type: High Density Printer Compatibility: ACCEL AMT 500/515, TOSHIBA P351</p> <p>Packing Standard (per ctn): Qty: 110, M3: 0.106</p>		<p>CITIZEN 120D/GSX140</p> <p>Specifications: 8mm x 14m, Black Ribbon Type: High Density Printer Compatibility: CITIZEN 200GX/124D/224S/GSX130/140/200/220/230/345X/180D/SWIFT 24 /24E/24S/24X/DEC55/65/95/COLOR PTR/JOLIMARK FP530/530K+/540K/ RADIO SHACK DMP240</p> <p>Packing Standard (per ctn): Qty: 77, M3: 0.079</p>
	<p>CITIZEN DP400/IR41</p> <p>Specifications: 12.7mm x 5m, Black/Black-Red/ Purple Ribbon Type: Normal Density Printer Compatibility: CITIZEN DP410/IR41/IDP460/400/3420/3421</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>		<p>CITIZEN DP600/IR61</p> <p>Specifications: 12.7mm x 7m, Black/ Black-Red/Purple Ribbon Type: Normal Density Printer Compatibility: Citizen CBM-710/715/720/725, IR-60, IDP536/3520/3530F/3530P/3551, TA CMS-9200, TOWA ET6420, CASIO CE4050/FE2000/KP300,SWINTEC SW2250, OLYMPIA CM 1920/1930, CITIZEN PTR, SANYO ECR340/358/548</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>
	<p>CITIZEN DP700/DP730/IR71</p> <p>Specifications: 12.7mm x 11m, Black/Purple Ribbon Type: Normal Density Printer Compatibility: CITIZEN DP730/SHARP ER460PC/IR71</p> <p>Packing Standard (per ctn): Qty: 120, M3: 0.081</p>		<p>CITIZEN IDP562/IR51</p> <p>Specifications: 12.7mm x 5m, Black/ Black-Red/Purple Ribbon Type: Normal Density Printer Compatibility: CITIZEN IDP 560 40-COL/CBM530/531/540/301/310/510/520/ DP260RS/DP560RS/DATA CARD 6800/ENVOY DEBIT TERMINAL GLORY SR700 / TALTEX 727 CITIZEN</p> <p>Packing Standard (per ctn): Qty: 150, M3: 0.037</p>
	<p>CITIZEN MD910/MD911</p> <p>Specifications: 4mm x 0.195m, Purple Seamless Ribbon Type: Normal Density Printer Compatibility: CITIZEN IR910/IDP-3110-24X/DP-3111/DM910/IR91/CBM910/911/DP3110/ 3111/ ELKU TEC ELECTRONIC FD910</p> <p>Packing Standard (per ctn): Qty: 500, M3: 0.051</p>		<p>COMPUPRINT MDP 40T</p> <p>Specifications: 9mm x 1.8m, Black Ribbon Type: High Density Printer Compatibility: COMPUPRINT MDP 40T</p> <p>Packing Standard (per ctn): Qty: 120, M3: 0.079</p>
	<p>COMPUPRINT SP40 PLUS</p> <p>Specifications: 8mm x 25m, Black Ribbon Type: High Density Printer Compatibility: COMPUPRINT SP40 PLUS</p> <p>Packing Standard (per ctn): Qty: 58, M3: 0.081</p>		<p>DATAROYAL 5000</p> <p>Specifications: 12.7mm x 10m, Black Ribbon Type: Normal Density Printer Compatibility: DATAROYAL 5000</p> <p>Packing Standard (per ctn): Qty: 100, M3: 0.081</p>
	<p>EPSON DFX5000/DFX8000</p> <p>Specifications: 12.7mm x 40m, Black Ribbon Type: Normal Density Printer Compatibility: EPSON DFX5000/8000/8500</p> <p>Packing Standard (per ctn): Qty: 20, M3: 0.091</p>		<p>EPSON DFX9000</p> <p>Specifications: 12.7mm x 70m, Black Ribbon Type: High Density Printer Compatibility: EPSON DFX9000</p> <p>Packing Standard (per ctn): Qty: 24, M3: 0.108</p>
	<p>EPSON ERC-02</p> <p>Specifications: 12.7mm x 5m, Black/ Black-Red/Purple Ribbon Type: Normal Density Printer Compatibility: EPSON ER02/II/IM215S/UNIVERSAL CAL. CART SEIKOSHA VICTOR 600/ CANON/CASIO/CITIZEN/SHARP CALCULATORS</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>		<p>EPSON ERC-05</p> <p>Specifications: 4mm x 0.17m, Black/Purple Seamless Ribbon Type: Normal Density Printer Compatibility: EPSON 1501I/M1501I/M160/163/163/EC7000/ERC05II/C.TOH 150/SHARP EL7000/7001</p> <p>Packing Standard (per ctn): Qty: 500, M3: 0.051</p>

















Printer Ribbons

	<p>EPSON ERC-09</p> <p>Specifications: 4mm x 0.208m, Black/Purple Seamless</p> <p>Ribbon Type: Normal Density</p> <p>Printer Compatibility: EPSON M160/161/180/181/182/183/185/190/191/192/195/150/163/164/ EPC-09/80/22/40/HITACHI DF6000/BRANDT 1100/1209/2790/MACH 7/ SWINTEC SW1260/TEKNIKA G-910/G-1800/STANDARD REGISTER TE-1800</p> <p>Packing Standard (per ctn): Qty: 500, M3: 0.051</p>		<p>EPSON ERC-11</p> <p>Specifications: 12.7mm x 11m, Black/Purple</p> <p>Ribbon Type: High Density</p> <p>Printer Compatibility: EPSON 505/515/517/518/524/518A/518T/525/CTM545/TM545/M505/M515/ SANYO 700/7000 ECR/7100 ECR/SHARP 5200/5210/ER5200/ER5210/ER52 SERIES</p> <p>Packing Standard (per ctn): Qty: 65, M3: 0.059</p>
	<p>EPSON ERC-18</p> <p>Specifications: 12.7mm x 10.5m, Black/Purple</p> <p>Ribbon Type: High Density</p> <p>Printer Compatibility: CASIO CE4100/4105/4110/4115/4415/4500/4515/4530/4540/4615/ CASIO ER4615/4640/4800/4915/4940/5100/6500/ERP300/400TK1200/2100/2200/ 2600/OLYMPIA S3100/S3115/RP6830/ SHARP ER2640/TOWA ET-8623/8626</p> <p>Packing Standard (per ctn): Qty: 100, M3: 0.055</p>		<p>EPSON ERC-22</p> <p>Specifications: 4mm x 0.208m, Black/Purple Seamless</p> <p>Ribbon Type: High Density</p> <p>Printer Compatibility: Epson ERC22/40/M181/190/NORAND 480 LONG LIFE FOR M-180/190/CASIO CE 250</p> <p>Packing Standard (per ctn): Qty: 500, M3: 0.051</p>
	<p>EPSON ERC-23</p> <p>Specifications: 12.7mm x 3.5m, Black/Purple</p> <p>Specifications: 12.7mm x 4.5m, Black-Red</p> <p>Ribbon Type: Normal Density</p> <p>Printer Compatibility: Epson 250/252/255/257300D/SANYO/ERC590/595/IBM 4651/4655/4661/ TOWA 1420/PANASONIC 7000/PM300/JS-7000/8000/ SHARP 3120/3210/ ER2975/3210/ TEC RE-2000/3000/2500/3500</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>		<p>EPSON ERC-27</p> <p>Specifications: 10mm x 3.5m, Black/Purple</p> <p>Ribbon Type: High Density</p> <p>Printer Compatibility: EPSON CTM290/390/M290/M12-PA/TM290/295/TM-U295/M-V295/FUJITSU G5800/5840 SLIP PTR/OMRON SP50/MICROS 1700/2700 SLIP PTR/IPC PRT290-11/ ASIO SP1000/SA1010</p> <p>Packing Standard (per ctn): Qty: 150, M3: 0.037</p>
	<p>EPSON ERC-28</p> <p>Specifications: 12.7mm x 2.5m, Black/Purple</p> <p>Ribbon Type: High Density</p> <p>Printer Compatibility: EPSON ERC 28/M2000/FUJITSU2975/AT3000/NORAND 815/4000/4815/ 4820/DP815/NP815</p> <p>Packing Standard (per ctn): Qty: 700, M3: 0.091</p>		<p>EPSON ERC-30/ERC-34/ERC-38</p> <p>Specifications: 12.7mm x 6m, Black/ Black-Red/Purple</p> <p>Ribbon Type: High Density</p> <p>Printer Compatibility: EPSON ER 30/34/38/ MICROS AUTOCUT 200/4000WTM 200/220D/230/300/ 370/325/375/M119/119B/119D/PANASONI PM300/308/PANASONIC JS-7500/ 8000/9000/ SAMSUNG SRP270</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>
	<p>EPSON ERC-31</p> <p>Specifications: 12.7mm x 13m, Black/Purple</p> <p>Ribbon Type: Normal Density</p> <p>Printer Compatibility: EPSON M31PA/M32SA/M26SA/M930/TM-930II/TM-930/TM-950/TM-925/ TM-U950/TM-U590/TM-U925/TM-H5000/5000II SLIP PTR/OMRON S6000- VERIFONE 930R</p> <p>Packing Standard (per ctn): Qty: 100, M3: 0.081</p>		<p>EPSON ERC-32</p> <p>Specifications: 12.7mm x 6m, Black/ Black-Red/Purple</p> <p>Ribbon Type: Normal Density</p> <p>Printer Compatibility: EPSON TM930/935/M820/M825/TM-U150/TM-H6000/SHARP ER-3120/3530/ A510/550/610/650/TEC MA-1350/MA-1350F/CASIO CE4200/CE4250/CE4700/ CE5100/CE6100/TK1300/TK2300/TK2700/PANASONIC JS5000/NCR 2170</p> <p>Packing Standard (per ctn): Qty: 100, M3: 0.055</p>
	<p>EPSON ERC-35</p> <p>Specifications: 12.7mm x 12m, Black/ Purple</p> <p>Ribbon Type: Normal Density</p> <p>Printer Compatibility: EPSON ERC35/M875/M31SP/IBM 4610 TI1 SUREMARK THERMAL & DMP/ 4610 TI2 SUREMARK THERMAL & DMP/NCR 7167/NIKKO NK-7475/NIXDORF BEETLE 50 POS/PX3/SIEMENS BEETLE 3/50/50 POS/KER 2000/TEKNIKA G930</p> <p>Packing Standard (per ctn): Qty: 100, M3: 0.081</p>		<p>EPSON ERC-37</p> <p>Specifications: 12.7mm x 8m, Black/ Purple</p> <p>Ribbon Type: Normal Density</p> <p>Printer Compatibility: Epson ERC 37/TM780/790/760/M760S/NIKKO NK-5500/OLIVETTI ECR2550/ OLYMPIA S2800/OMRON RS2810/2820/2840/ROYAL ALPHA 9150/SANYO ECR 425/445/UNIWELL UX-40/40F/41/41F/43/43F</p> <p>Packing Standard (per ctn): Qty: 120, M3: 0.079</p>
	<p>EPSON ERC-39</p> <p>Specifications: 12.7mm x 4.2m, Black/ Black-Red/Purple</p> <p>Ribbon Type: Normal Density</p> <p>Printer Compatibility: EPSON ERC-39/MT311/M-U310/11/312/M-V110/M-U115/CITIZEN IR-31/DP-300 /ERC-43</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>		<p>EPSON ERC-41</p> <p>Specifications: 8mm x 3m, Black/ Purple</p> <p>Ribbon Type: High Density</p> <p>Printer Compatibility: EPSON ERC-41/TM-H6000/TM-6000II</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>
	<p>EPSON FX100/MX100</p> <p>Specifications: 12.7mm x 14m, Black</p> <p>Ribbon Type: Normal Density</p> <p>Printer Compatibility: EPSON ERC 08/SEIKO8635-10/VICTOR 6000/6025/MEMOREX 2815/CITIZEN MSP15/15E/25/45/55/EPSON 100+/100FT/105/185/286/1000/1050/1080/ 1170/PLYMPIA NP136/SANYO AX100/EPSON LX1000/RX100/LX1170/MP100</p> <p>Packing Standard (per ctn): Qty: 55, M3: 0.091</p>		<p>EPSON FX80/MX80</p> <p>Specifications: 12.7mm x 14m, Black</p> <p>Ribbon Type: Normal Density</p> <p>Printer Compatibility: CITIZEN MSP10/10E/20/40/EPSON ERC04/FT80/EPSON RX10/70/80/85/90/ EPSON 3210/3310/APEX1000/CTMF80/CASIO FP1000/FUJITSU MICRO 164/ 165/SAMSUNG SP93/930N/SHARP 332P/CE322P/VICTOR 625/6010/9000</p> <p>Packing Standard (per ctn): Qty: 77, M3: 0.079</p>

Printer Ribbons

	<p>EPSON LQ50/50K</p> <p>Specifications: 12.7mm x 10m, Black Ribbon Type: High Density Printer Compatibility: EPSON LQ55</p> <p>Packing Standard (per ctn): Qty: , M3:</p>		<p>EPSON LQ1000/LQ1050/LQ1170</p> <p>Specifications: 12.7mm x 14m, Black Ribbon Type: High Density Printer Compatibility: EPSON ERC20/LQ1000/1010/1050/1170/1600/OLYMPIA NP136SE/EX1000/1800/CITIZEN 224/HQ/P45/STONE MS2406/STAR LQ1900K/GZSP320001/320003/SHINWA EL-2415/AMT ACCEL244</p> <p>Packing Standard (per ctn): Qty: 55, M3: 0.091</p>
	<p>EPSON LQ2090/LQ2190</p> <p>Specifications: 12.7mm x 30m, Black Ribbon Type: High Density Printer Compatibility: EPSON FX2190/2175/LQ2090/2090C/1600KIIIH</p> <p>Packing Standard (per ctn): Qty: 38, M3: 0.091</p>		<p>EPSON LQ2170/LQ2180</p> <p>Specifications: 12.7mm x 40m, Black (Foam/Gear) Ribbon Type: High Density Printer Compatibility: EPSON LQ2100K/2170/2170C/2070/2070C/1600KIII/2080/1600KID+/2600K/2180/1600KIII+/LQ2660/2180/1900KII+/1600K4/1600K4+/2900K/FX2180/FX2170</p> <p>Packing Standard (per ctn): Qty: 20, M3: 0.091</p>
	<p>EPSON LQ2500/LQ2550/LQ680</p> <p>Specifications: 12.7mm x 9m, Black Ribbon Type: High Density Printer Compatibility: EPSON DLQ2000/EX800/1000/LQ1060/2500/2500/2550/860/670/670K/670K+/756/680K+/LQ680/LQ680PRO/STAR LQ680K/SO15016</p> <p>Packing Standard (per ctn): Qty: 120, M3: 0.079</p>		<p>EPSON LQ300/LQ500/LQ800</p> <p>Specifications: 12.7mm x 14m, Black Ribbon Type: High Density Printer Compatibility: EPSON ER19/VP80KVP85K/PRT4280/PRT9282/LQ200/LQ300/LQ300K/400/450/500/510/550/570/800/850/CITIZEN 124/SHINWA EL2410/OLYMPIA NP70-24/NP80-24/SANYO PR241/TEC GP8404/JOLIMARK LQ300KII</p> <p>Packing Standard (per ctn): Qty: 77, M3: 0.079</p>
	<p>EPSON LQ590/LQ890</p> <p>Specifications: 12.7mm x 16m, Black Ribbon Type: High Density Printer Compatibility: EPSON FX890/LQ590/LQ590K</p> <p>Packing Standard (per ctn): Qty: 75, M3: 0.081</p>		<p>EPSON LQ630</p> <p>Specifications: 12.7mm x 10m, Black Ribbon Type: High Density Printer Compatibility: EPSON LQ630K/LQ635K/LQ730K</p> <p>Packing Standard (per ctn): Qty: 58, M3: 0.079</p>
	<p>EPSON LQ690K</p> <p>Specifications: 12.7mm x 32m, Black Ribbon Type: High Density Printer Compatibility: EPSON LQ-690/690C/675KT/680KII/690K</p> <p>Packing Standard (per ctn): Qty: 38, M3: 0.091</p>		<p>EPSON LX310/LQ310</p> <p>Specifications: 12.7mm x 12m, Black Ribbon Type: High Density Printer Compatibility: EPSON LX310/LQ310</p> <p>Packing Standard (per ctn): Qty: 75, M3: 0.081</p>
	<p>EPSON LX350/LQ350</p> <p>Specifications: 12.7mm x 14m, Black Ribbon Type: High Density Printer Compatibility: EPSON LQ200/300/300K/300K+II/350/400/450/500/510/550/570/800/850/850+/EPSON LX300/300+/350/400/800/810/850/860/870</p> <p>Packing Standard (per ctn): Qty: 75, M3: 0.081</p>		<p>EPSON LX80</p> <p>Specifications: 8mm x 5m, Black Ribbon Type: High Density Printer Compatibility: EPSON ERC17/GX80/LX80/86/90/9762/NAKAJIMA AR30/40/OLYMPIA NP30/30APL/60/60APL</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>
	<p>EPSON PLQ20</p> <p>Specifications: 6.35mm x 30m, Black Ribbon Type: High Density Printer Compatibility: EPSON PLQ 20/20M/20K/20KM</p> <p>Packing Standard (per ctn): Qty: 45, M3: 0.059</p>		<p>FUJITSU DL1100/DL1200</p> <p>Specifications: 8mm x 1.6m, Black Seamless Ribbon Type: High Density Printer Compatibility: FUJITSU DL100/700/900/1000/1100/1200/1150/1155/1250/DPK8100/8200/8300/8400/8500/8600/8100E/8200E/8400E/8500E/8600E/9050E</p> <p>Packing Standard (per ctn): Qty: 150, M3: 0.037</p>
	<p>FUJITSU DL3300/DL3400</p> <p>Specifications: 12.7mm x 6m, Black Ribbon Type: High Density Printer Compatibility: FUJITSU PMG9/M3375A-DL3300/M3358B-DL3400/DL3300/3300C/3400/3600/3450/DX2100/2200/2300/2400/STONE 2401/2400/2402/CONVERGENT CT-2424P/2425S/2426/CPT-MD240/NIXDOF 3803-60/TA MPR 7433/7344</p> <p>Packing Standard (per ctn): Qty: 120, M3: 0.079</p>		<p>FUJITSU DL3700/DL3800</p> <p>Specifications: 12.7mm x 5m, Black Ribbon Type: High Density Printer Compatibility: FUJITSU DL3600E/DL3600L/DL3700/DL3800 COLOR PTR/DPK3600E/DPK9600E/DL9300/DL9400/DPK3600H/TALLY GENIOM LA30R-KA/LA30N/LA30W/LA36N/LA36W/DIGITAL LA30N/LA30W/GENICOM L36N/LA36W</p> <p>Packing Standard (per ctn): Qty: 120, M3: 0.079</p>

Printer Ribbons

	<p>GENICOM 3480S</p> <p>Specifications: 25.4mm x 30m, Black Ribbon Type: High Density Printer Compatibility: DECLA 400</p> <p>Packing Standard (per ctn): Qty: 24, M3: 0.108</p>		<p>GENICOM 3800</p> <p>Specifications: 10mm x 40m, Black Ribbon Type: High Density Printer Compatibility: GENICOM 3800/3840E/3810/3830</p> <p>Packing Standard (per ctn): Qty: 20, M3: 0.091</p>
	<p>GENICOM 4000/4410</p> <p>Specifications: 25.4mm x 40m, Black Ribbon Type: High Density Printer Compatibility: GENICOM 4000/4410</p> <p>Packing Standard (per ctn): Qty: 12, M3: 0.135</p>		<p>HITACHI 580-2</p> <p>Specifications: 12.7mm x 25m, Black Ribbon Type: High Density Printer Compatibility: HITACHI 580-2</p> <p>Packing Standard (per ctn): Qty: 35, M3: 0.108</p>
	<p>IBM 2400/2480</p> <p>Specifications: 8mm x 1.6m, Black Seamless Ribbon Type: High Density Printer Compatibility: IBM /LEXMARK 2380/2381/2390/2391/2300/2400/2480/2490/2481/2491/ 2490E/LEXMARK 11A3540/TALLY GENICOM 044744/2430/2431/T5025/ DECISION DATA 6520/6521/6531/PRINTER SYSTEM PRIMA CX300/CX400</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>		<p>IBM 4201/4207</p> <p>Specifications: 11mm x 16m, Black Twin Ear Ribbon Type: High Density Printer Compatibility: IBM 4212/4722/4721/4748/PROPRINTER4207/4201/2205/II&III/X24/X24E</p> <p>Packing Standard (per ctn): Qty: 75, M3: 0.081</p>
	<p>IBM 4224 MODEL 101/102</p> <p>Specifications: 14.3mm x 16m, Black Ribbon Type: Normal Density Printer Compatibility: IBM 4224 MODEL 201/202/301/302/IBM4230 MODEL 101/102/201/202/ IBM 1E2/3/1F2/3E3/2F2/2E3</p> <p>Packing Standard (per ctn): Qty: 44, M3: 0.108</p>		<p>IBM 4234 MODEL 1/2</p> <p>Specifications: 27mm x 40m, Black Ribbon Type: High Density Printer Compatibility: IBM 4234 MODEL 1/2</p> <p>Packing Standard (per ctn): Qty: 9, M3: 0.108</p>
	<p>IBM 4234 MODEL 11/12/13</p> <p>Specifications: 27mm x 40m, Black Ribbon Type: High Density Printer Compatibility: IBM 4234 MODEL 11/12/13</p> <p>Packing Standard (per ctn): Qty: 9, M3: 0.108</p>		<p>IBM 4247</p> <p>Specifications: 25.4mm x 30m, Black Ribbon Type: High Density Printer Compatibility: IBM 4247</p> <p>Packing Standard (per ctn): Qty: 24, M3: 0.108</p>
	<p>IBM 4683 MODEL 3</p> <p>Specifications: 11mm x 14m, Black/Purple Ribbon Type: High Density Printer Compatibility: IBM 4694/4693/IBM 4684 MODEL3/IBM 4696 MODEL4R/IBM 4694 MODEL 4/ IBM 1040889/75 LEXMARK 1040900/STAR MICRONNICS SP772</p> <p>Packing Standard (per ctn): Qty: 75, M3: 0.081</p>		<p>IBM 5224 BASEBALL BAT</p> <p>Specifications: 38mm x 35m, Black Ribbon Type: Normal Density Printer Compatibility: IBM 5224/MODEL 1/MODEL 2</p> <p>Packing Standard (per ctn): Qty: 16, M3: 0.108</p>
	<p>IBM 9068-AO1</p> <p>Specifications: 6.35mm x 17m, Black Ribbon Type: High Density Printer Compatibility: IBM 9068 AO1</p> <p>Packing Standard (per ctn): Qty: 45, M3: 0.059</p>		<p>IBM 9068</p> <p>Specifications: 8mm x 1.6m, Black Seamless Ribbon Type: High Density Printer Compatibility: IBM 9068</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>
	<p>IBM 9068-AO3</p> <p>Specifications: 6.35mm x 17m, Black Ribbon Type: High Density Printer Compatibility: IBM 9068-AO3</p> <p>Packing Standard (per ctn): Qty: 45, M3: 0.059</p>		<p>M/TALLY 1000 OPEN JAW</p> <p>Specifications: 9mm x 8m, Black Ribbon Type: High Density Printer Compatibility: M TALLY 1000</p> <p>Packing Standard (per ctn): Qty: 44, M3: 0.091</p>

Printer Ribbons

	<p>M/TALLY MT2140/MT2250</p> <p>Specifications: 12.7mm x 18m, Black Ribbon Type: High Density Printer Compatibility: M TALLY 131/24, 131/9,151/24,151/9/T2245/T2133</p> <p>Packing Standard (per ctn): Qty: 44, M3: 0.091</p>		<p>M/TALLY MT2265+/MT2280+</p> <p>Specifications: 20mm x 40m, Black Ribbon Type: High Density Printer Compatibility: M TALLY MT230/240/250/300/330/340/350/360/380/360-2T/400/440-SL/460/490/MP360/MP380/T2170/T2060/T2155/OLIVETTI DM924/NCR 4170-330/NIXDORF DR-206/NIXDORF ND38</p> <p>Packing Standard (per ctn): Qty: 20, M3: 0.091</p>
	<p>M/TALLY MT690/MT691</p> <p>Specifications: 25.4mm x 40m, Black Ribbon Type: High Density Printer Compatibility: M TALLY MT600/645/660/661/ERICSSON 5818/5819/TALLY T6045/6050/6065/6082/6090/6100/DATA GENERAL 6617/6618/6883/6962/NR 6451/6458/MEMOREX 1234/ITT COURIER 13034/13134/13234/13X44</p> <p>Packing Standard (per ctn): Qty: 10, M3: 0.091</p>		<p>M/TALLY T6215/T6218</p> <p>Specifications: 31.7mm x 45m, Black Ribbon Type: High Density Printer Compatibility: M/TALLY T6215/T6218/E40</p> <p>Packing Standard (per ctn): Qty: 10, M3: 0.108</p>
	<p>NCR 5070</p> <p>Specifications: 12.7mm x 10m, Black/ Purple Ribbon Type: Normal Density Printer Compatibility: NCR 5085 Piano</p> <p>Packing Standard (per ctn): Qty: 10, M3: 0.108</p>		<p>NCR 5684/5685/RECEIPT</p> <p>Specifications: 12.7mm x 8m, Black/Purple Ribbon Type: Normal Density Printer Compatibility: NCR 5674/5675/5682/5684/5685/5688/RECEIPT/ JOURNAL PTR/5874/5884/5886</p> <p>Packing Standard (per ctn): Qty: 110, M3: 0.091</p>
	<p>NEC P20/P30/P3200/P3300</p> <p>Specifications: 8mm x 1.6m, Black Seamless Ribbon Type: High Density Printer Compatibility: PZ300/200/P2X/P3Q/P1200/P1300/P2000/P2Q/22Q/32Q</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>		<p>NEC P6+/P7+/P5200/P5300</p> <p>Specifications: 12.7mm x 8m, Black Ribbon Type: High Density Printer Compatibility: NEC P6200/3800/3900/7300/9300/P5260/P5360/P8000/P38/39/52/53/60/62/70/72/73/90/42Q/52Q/621Q/72Q/72X</p> <p>Packing Standard (per ctn): Qty: 110, M3: 0.091</p>
	<p>OKIDATA ML182/ML320/ML390</p> <p>Specifications: 8mm x 1.6m, Black Seamless Ribbon Type: High Density Printer Compatibility: OKIDATA ML120/172/180/182/183/1848192/193/194/380/391/3320/3321/5330/8320/8330/420/421/OKIDATA OKIMATE 120/OKIDATA 5320/5330/8320/8330/DATA GENERAL 6647/6648/NIXDORF ND65/66/72/73</p> <p>Packing Standard (per ctn): Qty: 150, M3: 0.037</p>		<p>OKIDATA ML393/ML395/ML3410</p> <p>Specifications: 12.7mm x 40m, Black Ribbon Type: High Density Printer Compatibility: DECISION DATA 6534/6534C//8360/8370/ET8550/PRINTEC PR856/PR9630/PR168/PR836/BEN 8393BM/8393EB</p> <p>Packing Standard (per ctn): Qty: 20, M3: 0.091</p>
	<p>OKIDATA ML420/ML720/ML790</p> <p>Specifications: 8mm x 1.6m, Black Seamless Ribbon Type: High Density Printer Compatibility: OKIDATA 720/721/790/791/420/421/490/491</p> <p>Packing Standard (per ctn): Qty: 150, M3: 0.037</p>		<p>OKIDATA ML520/ML590</p> <p>Specifications: 8mm x 1.6m, Black Ribbon Type: High Density Printer Compatibility: OKIDATA 520/521/8358SC/590/591/592/PRINTEC PR9350/9330/UNISYS AP-1357/1359/NCR 6427-0301/6427-0401/9333-0602</p> <p>Packing Standard (per ctn): Qty: 150, M3: 0.037</p>
	<p>OLIVETTI PR2/SNUGCART</p> <p>Specifications: 7mm x 15m, Black Ribbon Type: High Density Printer Compatibility: OLIVETTI PR2/PR2-E/PR2+/RICH PYII/NANTIAN K10/CITIC PB2</p> <p>Packing Standard (per ctn): Qty: 45, M3: 0.059</p>		<p>OLIVETTI PR3/COMPUPRINT SP40</p> <p>Specifications: 7mm x 15m, Black Ribbon Type: High Density Printer Compatibility: OLIVETTI PR3/COMPUPRINT SP40</p> <p>Packing Standard (per ctn): Qty: 50, M3: 0.108</p>
	<p>OLIVETTI PR4</p> <p>Specifications: 11mm x 13m, Purple Ribbon Type: High Density Printer Compatibility: OLIVETTI PR4/CRADEN DP8</p> <p>Packing Standard (per ctn): Qty: 100, M3: 0.106</p>		<p>OLIVETTI PR9+</p> <p>Specifications: 7mm x 19m, Black Ribbon Type: High Density Printer Compatibility: OLIVETTI PR9+</p> <p>Packing Standard (per ctn): Qty: 50, M3: 0.079</p>

Printer Ribbons

	<p>OLIVETTI PR50/60</p> <p>Specifications: 6.35mm x 1.8m, Black Seamless Ribbon Type: High Density Printer Compatibility: OLIVETTI CHEQUECART/PR50/PR60</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>		<p>OLYMPIA ET8200/8600</p> <p>Specifications: 12.7mm x 1.5m, Black-Red Ribbon Type: Normal Density Printer Compatibility: OLYMPIA ET8200/8600</p> <p>Packing Standard (per ctn): Qty: 150, M3: 0.037</p>
	<p>PANASONIC KX-P115i/KX-P145</p> <p>Specifications: 8mm x 1.6m, Black Seamless Ribbon Type: High Density Printer Compatibility: PANASONIC KX-P110/112/113/120/145/1000/1031/1080/1090/1091/1092/1123/1124/1150/1160/1592/1595/2000/2023/2030/SUPER 5 1090/ PANASONIC KX-WD45/TMS210/XPP145</p> <p>Packing Standard (per ctn): Qty: 150, M3: 0.037</p>		<p>PANASONIC KX-P150/KX-P2180</p> <p>Specifications: 8mm x 1.6m, Black Ribbon Type: High Density Printer Compatibility: PANASONIC KX-P2123/2124/2180</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>
	<p>PANASONIC KX-P160/KX-P2130</p> <p>Specifications: 8mm x 1.6m, Black Seamless Ribbon Type: High Density Printer Compatibility: PANASONIC KX-P160/165/2130/2135/2140/5007</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>		<p>PANASONIC KX-P170/KX-P3626</p> <p>Specifications: 12.7mm x 24m, Black Ribbon Type: High Density Printer Compatibility: PANASONIC KX-P170/3626/3696/3624/2686</p> <p>Packing Standard (per ctn): Qty: 38, M3: 0.091</p>
	<p>PANASONIC KX-P180/KX-P181/KX-P3200</p> <p>Specifications: 12.7mm x 20m, Black Ribbon Type: High Density Printer Compatibility: PANASONIC KX-P181/KX-P3200/KX-P1131</p> <p>Packing Standard (per ctn): Qty: 50, M3: 0.079</p>		<p>PANASONIC KX-P190/KX-P191</p> <p>Specifications: 12.7mm x 16m, Black Ribbon Type: High Density Printer Compatibility: PANASONIC KX-P3196/KX-P3926</p> <p>Packing Standard (per ctn): Qty: 50, M3: 0.106</p>
	<p>PHILIPS SRC 46/ DIGITAL PR 6392</p> <p>Specifications: 12.7mm x 24m, Black Ribbon Type: Normal Density Printer Compatibility: DIGITAL PR6392</p> <p>Packing Standard (per ctn): Qty: 44, M3: 0.108</p>		<p>PYRAMID PTR9000</p> <p>Specifications: 8mm x 1.6m, Black Seamless Ribbon Type: High Density Printer Compatibility: PYRAMID PTR9000</p> <p>Packing Standard (per ctn): Qty: 150, M3: 0.037</p>
	<p>SEIKOSHA SBP10AI/SBP1051</p> <p>Specifications: 12.7mm x 40m, Black Ribbon Type: High Density Printer Compatibility: SEIKOSHA SBP1051/10051/10/10AI/10AX/10CX/10L/10TX/10 PLUS/BP7800/ BP9000 PLUS/FB840/FB900/BX900/OLIVETTI DM824/TANDEM 5524/ DATAPRODUCTS USA LLC 8500/8510/8524/8524E TOUGHWRITER</p> <p>Packing Standard (per ctn): Qty: 20, M3: 0.091</p>		<p>SEIKOSHA SP800/SP1600/SP2000</p> <p>Specifications: 12.7mm x 14m, Black Ribbon Type: High Density Printer Compatibility: SEIKOSHA SP800/1000/1200/1600/SP2000/2400/SL-80AI STONE 2403/ TOSHIBA EXPRESSWRITER 311/AMSTAD PCW8512/8256</p> <p>Packing Standard (per ctn): Qty: 75, M3: 0.081</p>
	<p>SEIKOSHA SP2415</p> <p>Specifications: 12.7mm x 20m, Black Ribbon Type: High Density Printer Compatibility: SEIKOSHA SP2415</p> <p>Packing Standard (per ctn): Qty: 38, M3: 0.091</p>		<p>SEIKOSHA ST10</p> <p>Specifications: 8mm x 2m, Black/Red/Purple Ribbon Type: High Density Printer Compatibility: SEIKOSHA ST10</p> <p>Packing Standard (per ctn): Qty: 150, M3: 0.037</p>
	<p>SHINKO SD1000</p> <p>Specifications: 16mm x 5m, Black-Red Ribbon Type: Normal Density Printer Compatibility: SHINKO SD1000/NIDEKA NE8800/NE8900/KING POWER KP-3000/KP-6000/KP-8700</p> <p>Packing Standard (per ctn): Qty: 110, M3: 0.091</p>		<p>SIEMENS NIXDORF BEATLE 60/69</p> <p>Specifications: 11mm x 14m, Black Ribbon Type: High Density Printer Compatibility: SIEMENS NIXDORF BEATLE 60/69</p> <p>Packing Standard (per ctn): Qty: 55, M3: 0.079</p>

Printer Ribbons

	<p>SIEMENS NIXDORF HPR4915 (Foam/Gear)</p> <p>Specifications: 10mm x 35m, Black Ribbon Type: High Density Printer Compatibility: SIEMENS NIXDORF HPR4915</p> <p>Packing Standard (per ctn): Qty: 52, M3: 0.135</p>		<p>SIEMENS NIXDORF ND77</p> <p>Specifications: 11mm x 15m, Black/ Purple Ribbon Type: High Density Printer Compatibility: SIEMENS NIXDORF ND77</p> <p>Packing Standard (per ctn): Qty: 60, M3: 0.055</p>
	<p>SIEMENS NIXDORF NP06/NP07</p> <p>Specifications: 11mm x 6m, Black/ Purple Ribbon Type: High Density Printer Compatibility: SIEMENS NIXDORF NP06/NP07 ND2050/2150/2250</p> <p>Packing Standard (per ctn): Qty: 120, M3: 0.081</p>		<p>STAR SP200/SP212</p> <p>Specifications: 12.7mm x 3m, Black/ Black-Red/Purple Ribbon Type: Normal Density Printer Compatibility: DATAMEGA SP216/STAR SP200/212/212F/212FD/242/298/542/512M/512MD/ STAR MP100/200/212/216/221/231/RC200B/RC200BR/HYPRCOM P8/T77 CREDIT CARD PRINTER/CITIZEN CBM-820/IR82/CASIO SP1300</p> <p>Packing Standard (per ctn): Qty: 200, M3: 0.091</p>
	<p>STAR SP300/SP312</p> <p>Specifications: 12.7mm x 6.5m, Black/ Black-Red/Purple Ribbon Type: Normal Density Printer Compatibility: STAR MP300/309/311/320/330/341/MP312FSTAR SP 300/310/311/312/316/ 317/320/321/322/340/341/342/347/349/772/311F/341F/349F/321S/322S/ STAR SCP700/R300/R300P/ STAR UP389/ DATAMEGA DPN3110</p> <p>Packing Standard (per ctn): Qty: 190, M3: 0.091</p>		<p>STAR SP700/SP712</p> <p>Specifications: 12.7mm x 6m, Black/ Black-Red/Purple Ribbon Type: Normal Density Printer Compatibility: START RC 700B/STAR SP 700/712/712R/742/742R</p> <p>Packing Standard (per ctn): Qty: 100, M3: 0.059</p>
	<p>TALLY DASCOM DS300/1125/1325</p> <p>Specifications: 12.7mm x 20m, Black Ribbon Type: High Density Printer Compatibility: TALLY DASCOM DS300/1125/1325</p> <p>Packing Standard (per ctn): Qty: 25, M3: 0.059</p>		<p>TALLY GENICOM T5040 (Foam/Gear)</p> <p>Specifications: 6.35mm x 30m, Black Ribbon Type: High Density Printer Compatibility: TALLY GENICOM T5040</p> <p>Packing Standard (per ctn): Qty: 52, M3: 0.135</p>
	<p>TEC MA1450</p> <p>Specifications: 12.7mm x 4.5m, Black Ribbon Type: High Density Printer Compatibility: TEC MA1450/1650</p> <p>Packing Standard (per ctn): Qty: 150, M3: 0.081</p>		<p>TEXAS INSTRUMENT 8920/8930</p> <p>Specifications: 22mm x 27m, Black Ribbon Type: Normal Density Printer Compatibility: TEXAS INSTRUMENT 8920/8930</p> <p>Packing Standard (per ctn): Qty: 20, M3: 0.091</p>
	<p>VERTEX TR810/TR910/AMANO EX3000</p> <p>Specifications: 12.7mm x 1.8m, Black/ Black-Red/ Purple Ribbon Type: Normal Density Printer Compatibility: AMANO EX/EX5000/EX6000/RX6200/EX9200/EX9500/PIX3000/PIX3200/ PIX6000</p> <p>Packing Standard (per ctn): Qty: 150, M3: 0.037</p>		<p>WINCOR ATM 2150XB</p> <p>Specifications: 12.7mm x 7m, Black/ Purple Ribbon Type: Normal Density Printer Compatibility: WINCOR ATM 2150XB/ Nixdorf ND9A</p> <p>Packing Standard (per ctn): Qty: 120, M3: 0.079</p>